PRÖJECTOR

LED LIGHT SOURCE SIMPLE PROJECTOR FOR YOU LIFE...





Portable mini Projector GP70

Portable mini projector

GP70

Thank You on purchasing your new product.

This guide includes all the feature operations and troubleshooting necessary to install and operate your new simplebeamer's Portable mini projector.

> Please review this manual thoroughly to ensure proper installation and operation of this product. For support, shopping, and everything new at simplebeamer, visit our website:



The instructions of this manual are for reference about the product.

There may be differences due to updates.

Please check our web site to obtain the latest version of the instruction manual.

IMPORTANT







water



• Do not place near • Clean with a soft, dry cloth.



· Don't clean with chemical.



· Don't cover the lens or vents.



• Place it in horizontal position



· Place it in ventilated places



· Disconnect when is not use it.



· Don't look directly to the light.

HIGHLIGHTS

- with this simplebeamer Portable mini Projector you can enjoy movies, sports, videos, pictures and more like if you were watching a 80" Dynamic image.
- Plug your DVD or Blu-Ray in one of the two available HDMI digital inputs or send video from your computer through the VGA Port, what is more, you can use the AV input to plug another video player. Besides, you can connect an USB memory or SD card to projector your multimedia files.
- the Portable mini projector delivers clear images in low light conditions; the audio can be played through the built-in speaker, but if you need more audio Power output, you can connect an external speaker or audio system using the 3.5mm connector.
- it is very light weight and small size! so you can carry on with the fun, everywhere, a remote control is included in the package to manipulate options and menus Remotely.

Note:

we do not recommend this projector for word or spreadsheet, This is not professional education projectors, video playback is the main function.

CONTENT



Portable mini projector



RCA cable




Power cable




PARTS


FRONT PANFI




REAR PANEL



HIGH PANEL



REMOTE CONTROL




- 1. On/off
- 2. Mute
- 3. Backward/fast advance
- 4. Previous/next
- 5. Menu
- 6. Source selection
- 7. VGA
- 8. HDMI
- 9. USB
- 10. SD
- 11. Navigation keys: Up/Down,
- Left /Right (Volume -/+)
- 12. OK button/ pause / play
- 13. Cancel
- 14. Enter characters
- 15. Numeric panel

INSTRUCTIONS CONNECTIONS


.

A) RCA (AV) connection

Use the 3.5 mm cable to RCA (included)




B) HDMI connection



The HDMI cable must not exceed the 10 m lenght

C) VGA (PC) connection




D) USB/SD connection



The maximum supported capacity is 500G in USB and 32GB in SD


E) Audio connection



HOW TO USE

1. How to turn on the device





When turn on, you visualize the start menu *



^{*}This menu is only available for USB/SD connection. Refers to the user manual to know the mode of use.


2. Selecting the input source

Press the **SOURCE** button or press **INPUT** in the remote control, select with the navigation keys the desired input source.




9

3. Place the device into a stable surface and focus the image. Turn the lens until the image will be clear.



4. Adjusting the volume

In the portable projector



GP70 (Basic version) Selling Points

- The difference between for other sellers with glass lens, better projection image.
- more professional Products Industrial design, packaging design, with better user
- experience.
- Industry-leading UI interface more easily to use.
- the series optional HDTV Version, HDTV Model Perfect HDTV new definition, More suitable for European or American market with DVB-T or ATSC Signal Mode, a small distance will see the big picture.
- Projector feature: LCD+LED light source.Portable low cost
- LED Brightness 1,200 lumens (nominal)
- value of brightness uniformity of 90%
- 600:1 Static Contrast ratio. Dynamic Contrast ratio up to 10,000: 1
- Optical resolution up to Full HD-Level/1920x1080Pixels
- Projection Distance 0.8~4.2m(18inches~150inches)
- with ±15° (vertical) Keystone Correction
- with glass lens. Optical Coating better projection imag.
- 16:9 image Aspect Ratio Compatible 4: 3; with Projection image scaling.
- Number of colors support 1.07 billion

Multi-interface contains

(Input/Output)

• Input Interface: 2 x HDMI Port, 1 x VGA/PC-RGB, 1 x AV/Video, 1 x USB A(Ready),

11

1 x SD Card-ready.TV Tuner(Different versions of ATV or DTV)

Output Interface: 3.5mm stereo/Audio Out

Other features

- HIFI level stereo audio performance built-in amplifier chip, stereo/ 4Ω .3W
- Noise:In standard mode 32 dB
- OSD Menu Language:24country Language
- Product Certification: CE / FCC / ROHS
- Power(max Watt):70 W
- Voltage Output: 90~240V/50~60Hz. Built-in power module
- Product Dimensions (L*W*H): 19.5x16.0x8.2
- Shipping Dimensions (L*W*H): 24.3x23.0x15.5cm
- Product weight: 0.88Kg
- Shipping Weight: 1.42Kg
- · Warranty cycle: 12 months

Packing Accessories

- 1 x DC Cable with AC Adapter
- 1 x IR remote control
- 1 x video/RCA Cable
- 1 x Projector with lens cap
- 1 x Quick Start User Manual

Product:Portable mini projector Part number:GP70

WARRANTY

This simplebeamer product is warranted under normal usage against defects in workmanship and materials to the original purchaser for one year from the date of purchase.

CONDITIONS

- 1.- This warranty card with all the required information, invoice, product box or package, and product, must be presented when warranty service is required.
- 2.- If the product stills on the warranty time, the company will repair it free of charge,
- 3.- The repairing time will not exceed 30 natural days, from the day the claim was received.
- 4.- simplebeamer Limited sell parts, components, consumables and accessories to customer, as well as warranty service, at any of the addresses mentioned later.

THIS WARRANTY IS VOID IN THE NEXT CASES:

If the product has been damaged by an accident, acts of God, mishandling, leak batteries, ailure to follow enclosed instructions, improper repair by unauthorized personnel, improper safe keeping, among others.

12

- a) The consumer can also claim the warranty service in the purchase establishment.
- b) If you lose the warranty card, we can reissue it, if you show the invoice or purchase ticket.

RETAILER INFORMATION

Name of the retailer: _	
Address:	
Product:	
Brand:	
Part number:	
Serial number:	
Date of delivery:	

